

Attorney Docket No. 233-590-USP

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims**

1. (Currently amended) A system for processing a data packet, comprising:  
a paddle card slot operable to:  
    receive a first paddle card operable to support a first communication protocol;  
and  
    receive a second paddle card operable to support a second communication protocol; and  
a packet processor coupled to the paddle card slot and operable to:  
    determine whether a received paddle card comprises the first paddle card or the second paddle card;  
    identify the communication protocol supported by the received paddle card;  
    receive a plurality of data packets from the received paddle card;  
    process the data packets according to the identified communication protocol;  
and  
    transmit the data packets to a switch card,  
wherein the received paddle card comprises a plurality of lanes operable to communicate the data packets and the packet processor comprises a receiving control unit comprising a plurality of ports and operable to associate the lanes with the ports in response to the identified communication protocol.
2. (Original) The system of Claim 1, wherein the packet processor is operable to:  
receive a plurality of data packets from the switch card;  
process the data packets according to the identified communication protocol; and  
transmit the data packets to the received paddle card.
3. (Original) The system of Claim 1, wherein the packet processor comprises a receiving control unit operable to establish a link operable to communicate the data packets according to the identified communication protocol.
4. (Original) The system of Claim 1, wherein the packet processor comprises a receiving control unit comprising:

Attorney Docket No. 233-590-USP

a first protocol state machine operable to establish a link operable to support the first communication protocol; and

a second protocol state machine operable to establish a link operable to support the second communication protocol, the receiving control unit operable to select the first protocol state machine or the second protocol state machine to establish a link operable to support the identified communication protocol.

5. (Canceled)

6. (Original) The system of Claim 1, wherein the packet processor comprises a forwarding system comprising a first level and a second level, the first level operable to:

compare a packet destination address of a first data packet to an entry destination address;

assign a port identifier if the packet destination address matches the entry destination address;

transmit the data packet to an entry of the second level in response to the comparison; and

process a second data packet substantially when the second level processes the first data packet.

7. (Currently amended) A method for processing a data packet, comprising:

receiving a paddle card comprising a first paddle card operable to support a first communication protocol or a second paddle card operable to support a second communication protocol;

identifying the communication protocol supported by the receiving paddle card;

receiving a plurality of data packets from the received paddle card;

processing the data packets according to the identified communication protocol; and

transmitting the data packets to a switch card; and

associating a plurality of lanes with a plurality of ports in response to the identified communication protocol, wherein the lanes are coupled to the received paddle card and the ports are operable to receive the data packets from the lanes.

8. (Original) The method of Claim 7, further comprising:

receiving a plurality of data packets from the switch card;

processing the data packets according to the identified communication protocol; and

transmitting the data packets to the received paddle card.

Attorney Docket No. 233-590-USP

9. (Original) The method of Claim 7, further comprising establishing a link operable to communicate the data packets according to the identified communication protocol.
10. (Original) The method of Claim 7, further comprising selecting a first protocol state machine or a second protocol state machine to establish a link operable to support the identified communication protocol, the first protocol state machine operable to establish a link operable to support the first communication protocol, the second protocol state machine operable to establish a link operable to support the second communication protocol.
11. (Canceled)
12. (Original) The method of Claim 7, further comprising:  
receiving a first data packet at a forwarding system comprising a first level and a second level; and  
at the first level,  
comparing a packet destination address of the first data packet to an entry destination address;  
assigning a port identifier if the packet destination address matches the entry destination address;  
transmitting the first data packet to an entry of the second level in response to the comparison; and  
processing a second data packet substantially when the second level processes the first data packet.
13. (Currently amended) Logic for processing a data packet, the logic encoded in media and operable to:  
receive a paddle card comprising a first paddle card operable to support a first communication protocol or a second paddle card operable to support a second communication protocol;  
identify the communication protocol supported by the received paddle card;  
receive a plurality of data packets from the received paddle card;  
process the data packets according to the identified communication protocol; and  
associate a plurality of lanes with a plurality of ports in response to the identified communication protocol, wherein the lanes are coupled to the received paddle card and the ports are operable to receive the data packets from the lanes.

Attorney Docket No. 233-590-USP

14. (Original) The logic of Claim 13, further operable to:  
receive a plurality of data packets from the switch card;  
process the data packets according to the identified communication protocol; and  
transmit the data packets to the received paddle card.
15. (Original) The logic of Claim 13, further operable to establish a link operable to  
communicate the data packets according to the identified communication protocol.
16. (Original) The logic of Claim 13, further operable to select a first protocol state  
machine or a second protocol state machine to establish a link operable to support the  
identified communication protocol, the first protocol state machine operable to establish a  
link operable to support the first communication protocol, the second protocol state machine  
operable to establish a link operable to support the second communication protocol.
17. (Canceled)
18. (Original) The logic of Claim 13, further operable to:  
receive a first data packet at a forwarding system comprising a first level and a  
second level; and  
at the first level,  
compare a packet destination address of the first data packet to an entry  
destination address;  
assign a port identifier if the packet destination address matches the entry  
destination address;  
transmit the first data packet to an entry of the second level in response to the  
comparison; and  
process a second data packet substantially when the second level processes  
the first data packet.

Attorney Docket No. 233-590-USP

19. (Currently amended) A system for processing a data packet, comprising:
- means for receiving a paddle card comprising a first paddle card operable to support a first communication protocol or a second paddle card operable to support a second communication protocol;
  - means for identifying the communication protocol supported by the received paddle card;
  - means for receiving a plurality of data packets from the received paddle card;
  - means for processing the data packets according to the identified communication protocol; and
  - means for transmitting the data packets to a switch card; and
- means for associating a plurality of lanes with a plurality of ports in response to the identified communication protocol, wherein the lanes are coupled to the received paddle card and the ports are operable to receive the data packets from the lanes.

Attorney Docket No. 233-590-USP

20. (Original) A system for processing a data packet, comprising:
- a paddle card slot operable to:
    - receive a first paddle card operable to support a first communication protocol;
  - and
    - receive a second paddle card operable to support a second communication protocol; and
  - a packet processor coupled to the paddle card slot, the packet processor comprising a first protocol state machine operable to establish a link operable to support the first communication protocol, and a second protocol state machine operable to establish a link operable to support the second communication protocol, the packet processor operable to:
    - determine whether a received paddle card comprises the first paddle card or the second paddle card;
    - Identify the communication protocol supported by the received paddle card;
    - select the first protocol state machine of the second protocol state machine to establish a link operable to support the identified communication protocol;
    - receive a plurality of data packets from the received paddle card;
    - process the data packets according to the identified communication protocol;
    - transmit the data packets to a switch card;
    - receive a plurality of data packets from the switch card;
    - process the data packets according to the identified communication protocol;
  - and
    - transmit the data packets to the received paddle card,
    - wherein the received paddle card comprises a plurality of lanes operable to communicate the data packets and the packet processor comprises a receiving control unit comprising a plurality of ports and operable to associate the lanes with the ports in response to the identified communication protocol.